

# TOMORROW'S WORKPLACE TODAY

# INTRODUCING THE bizhub i-SERIES FROM KONICA MINOLTA

Born from our desire to rethink the role of multifunctional devices in business, our next generation technology sits at the heart of your connected environment. Simply and securely bringing together people, places and devices to change the way you work.

#### The workplace is changing

- As more tasks move toward individual work in a place of the individual's choice, central offices are becoming hubs for communication.
- As office documents become more digitised and the volume of data increases, centralised management and better access to documents is vital.
- As business data leaks and hacking become more commonplace, the need for security is increasingly critical.

#### bizhub i-Series is the solution

- With simple operability and highquality performance, bizhub i-Series allows people to complete tasks efficiently and effectively from anywhere.
- With integrated cloud services that offer the right processes at the right time, bizhub i-Series builds more convenient workflows for everyone.
- With next generation security technology built in, bizhub i-Series provides a reliably safe environment for your business.









## i-SERIES IS SIMPLE AND SECURE RETHINK IT

We've simplified, secured and enhanced what technology can do for your business.

#### **Key benefits**

- Stay in control of your information
- Protect your data and stop virus threats
- Security visibility, implementation and continuity
- The peace of mind to focus on core activities

#### **Intelligent simplicity**

With a large touchscreen operation panel, smartphone style user interface and a display that users can customise with apps from Konica Minolta Marketplace, i-Series is intelligently simple.

#### **Next generation security**

The next generation bizhub i-Series comes with the highest security standards built in.

With our bizhub SECURE services, we tailor the security settings to your needs, so your data is fully protected. And with integrated anti-virus software, it ensures no virus can harm your business.



#### **Designed for people**

The stylish bizhub i-Series looks at home in today's office environment, with contemporary touches like a floating operation panel, rounded edges and LED status indicators.

With a 24° to 90° tilt angle, the large 10.1" tablet style touch panel provides convenient operation for all users, especially those in a wheelchair.

#### **Putting users first**

The i-Series offers a market leading and intuitive smartphone style experience.

In fact, the user experience is so familiar there's practically no learning curve and users can customise their screen in the same way as their mobile device.

In the card-type Quick Copy screen, all main setting options are directly visible without scrolling or searching. Users can apply their desired settings with fewer clicks and pop-ups, making operation faster and more productive. You can also customise your personal home screen by simply adding or removing function icons. Widgets are supported as well, similar to Widgets on Android-based smartphones. This facilitates embedded functionality delivered by Apps into the home screen.









#### The waiting is over

To boost workflow and cut out waiting time, the i-Series is our fastest ever range. In fact, thanks to its brand new Quad Core Central Processing Unit, it's four times quicker than our previous bizhub series.

The new controller integrates all processes and distributes tasks more effectively within the Central Processing Unit. As a result, the user experience is smoother and quicker and there is no waiting time while operating i-Series.

With the new Intelligent Media Sensor\*, paper weight detection is automatic, and the correct settings are applied every time. Enhancing user convenience, this avoids media setting mistakes and minimises paper jams.

(\*Intelligent Media Sensor is standard on bizhub C650i/C550i/C450i; optional on bizhub C360i/C300i/C250i)



# i-SERIES IS UNLIMITED POSSIBILITIES

### **RETHINK IT**

#### ENHANCED EFFICIENCY AND PRODUCTIVITY


To extend the workflow capabilities of the bizhub i-Series, and boost flexibility within your office, we developed Dispatcher Phoenix.

To maximise productivity, i-Series eliminates repetitive tasks, cuts costs and reduces manual and human errors.

#### **Dispatcher Phoenix**

Our advanced process automation solution, streamlines the handling of all document-processing tasks. This simplifies daily office routines to boost efficiency thanks to predefined workflow templates and customisable scan workflows.

It also facilitates the easy distribution of documents by scanning to SharePoint and Dropbox or to popular systems like Box, Google Drive, Microsoft OneDrive, and OneDrive for Business.



#### **MAKE TIME FOR YOUR CORE BUSINESS**

Now you can make your business devices more powerful by simply adding new capabilities. Konica Minolta MarketPlace gives you the freedom to personalise your bizhub in the same way as your smartphone. The available apps bridge unproductive gaps between work processes to give you more time to focus on core tasks.

#### **Key benefits**

- Add and remove functions from the panel to match your bizhub with your workstyle
- Streamline your daily office routines
- Boost team productivity

#### Streamline office routines

Browse the Konica Minolta MarketPlace for new applications that serve your business needs. Then simply add them to all your devices – however large your fleet.

Updates are also deployed directly to your devices without cost-intensive maintenance. And as these apps run directly on your devices, you don't need to invest in additional infrastructure.

Konica Minolta's bizhub multi-functional devices provide a broad range of capabilities that serve all your needs. To minimise the time spent using your bizhub, simply change the control panel to meet your preferences. And because the user operation of any model is completely customisable, there's no need for special training.




au.konicaminoltamarketplace.com



#### **ALWAYS SAFE. ALWAYS IN CONTROL.**

Having complete protection against virus threats gives you the peace of mind to focus on other tasks. So to protect your data, the optional BitDefender anti-virus engine automatically scans all transmitted and received data – in real time. You can also run on-demand or scheduled scanning of your data, to make sure you stay protected.



- Data inside the MFD is checked manually or scheduled
- Optional BitDefender scans transmitted and received data to protect the i-Series

At Konica Minolta, we know that protecting your data is key to your business. That's why our bizhub multifunctional devices embed the highest level of security to protect your data.



#### **TOTAL CARE BY BIZHUB SECURE**

With bizhub SECURE services, we've made sure your business is fully protected by providing security tailored to your needs. Continuous security gives you one less thing to worry about. And because our team configures everything for you, you'll save time too.

#### Safe and SECURE

- bizhub SECURE protects the data inside the memory of your i-Series
- BitDefender anti-virus engine defends you from the threat of viruses

## i-SERIES IS SMARTER RETHINK IT


#### REDUCED DOWNTIME. ALL THE TIME.

Features this advanced don't come from merely improving technology. To make bizhub i-Series work with everything you do, we set out to rethink everything we do.

Konica Minolta Worldwide Remote Service Platform provides a trouble-free experience and minimum downtime.

To ensure continuous and full use, i-Series intelligently collects data for self-diagnostic and remote maintenance and even predicts the optimum replacement time for parts and consumables.

It also uploads the latest firmware, in real or scheduled time. So users know they're always working with up-to-date technology.



**1** Data collected for part/consumable replacement predictions

#### **CUSTOMER BENEFITS**



Intuitive operability Operate the bizhub like a smartphone or tablet with fully customised user interface



Mobile connectivity Print anytime from anywhere with Konica Minolta's innovative mobile technologies



Secure network integration, data encryption, SSD overwrite and advanced user authentication



Application ecosystem Enhanced efficiency thanks to Konica Minolta's extensive applications portfolio



Reliability, high-speed scanning and printing, combined with powerful finishing functions



Services Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup

#### FINISHING FUNCTIONALITIES



stapling



stapling



punching





punching



Duplex



Combined

mixplex,

mixmedia



Half-fold



insertion



Letter-fold







sorting



printing



Z-fold



Stapling

(offline)












#### **Finishing Functionalities**



#### Offset sorting (Shift sort) function

Stapling

functions

**Booklet** 

function

& folding

functions


Z foldina

function

Models



stapling





(parallel) \*4



(side)

Upper two-hole

punch

Thin / Plain (52-80 gsm): max. 100 sheets Plain (81-90 gsm): max. 60 sheets Plain + / Thick (91-120 gsm): max. 50 sheets Thick (121-157 gsm): max. 40 sheets

Thin / Plain (52-90 gsm): max. 50 sheets Plain + / Thick (91-120 gsm): max. 30 sheets Thick (121-209 gsm): max. 15 sheets

Max. 50 sheets

(23-15/16 lb (90 g/m2))

Max. 20 sheets

Thin / Plain (52-90 gsm) A4, B5: max 50 sheets\*5 A3, B4: max 30 sheets\*5

Manual stapling	
stapining	





Z folding

Corner stapling

(parallel) \*4





Tri-fold (up to 3 sheets)

Z folding unit ZU-609
Z lolully util 20-005
52-90 asm





Punch kit PK-519 Up to 157 gsm

Cover sheet & Insert sheet

Hole-punching







Two-hole punch

Standard functions

Max. 20 sheets

Standard functions

Post Inserter PI-507 or standard functions

<sup>\*1</sup> Installation of a finisher enables in-body paper discharge. A maximum of three discharge locations can be set. For FS-540 and FS-540SD, a maximum of four in-body paper discharges can be set with Job Separator JS-602 installed.

<sup>\*2</sup> Requires Relay Unit RU-513. \*3 FS-533 requires MK-607 to be installed. \*4 FS-540/FS-540D/FS-539/FS-539SD parallel stapling is only supported for A4 portrait, B5 portrait and A5 landscape orientations. \*5 FS-533 corner stapling is only parallel.



### INDUSTRY LEADING ENVIRONMENTAL PERFORMANCE

We have invested substantial resources to keep the environmental impact of the bizhub i-Series as low as possible.

Our new eco setting and low temperature fusing toner combine to significantly reduce the consumption of energy and paper.

We're also committed to minimising waste throughout the product's lifecycle.

While our improved consumables and parts use fewer materials and enjoy a longer life, our industry leading air-form packaging solution ensures safe transportation while reducing waste.

#### bizhub i-SERIES IS AVAILABLE NOW

With intelligent usability, next generation security and seamless connectivity, bizhub i-Series brings together people, places and devices to change the way you work.

bizhub i-Series is tomorrow's workplace today. Discover more at konicaminolta.com.au/home





#### **OPTIONS DESCRIPTIONS** (bizhub C650i/C550i/C450i)

ENHANCED FEATURES	
LK-102v3 PDF enhancements	PDF/A(1b), PDF encryption, digital signature
LK-104v3 Voice Guidance	Enables easy to follow audio guidance for visually impaired users. Requires KP-102
LK-105v4 OCR text recognition	Searchable PDF and PPTX
LK-106 Barcode fonts	Supports native barcode printing
LK-107 Unicode fonts	Supports native Unicode printing
LK-108 OCR A and B fonts	Supports native OCR A and B font printing
LK-110v2 Document converter pack	Generates various file formats incl. DOCX, XLSX and PDF/A
LK-111 ThinPrint® client	Print data compression for reduced network impact
LK-115v2 Trusted Platform Module	Trusted Platform Module for protection of data encryption and decryption
LK-116 Antivirus	Bitdefender® antivirus provides real time scanning of all incoming and outgoing data
LK-117 FOIP activation	Fax over IP networks (T.38), requires fax kit
CONNECTIVITY	
FK-514 Fax board	Super G3 fax, digital fax functionality
UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
EK-608 USB I/F kit	USB keyboard connection
EK-609 USB I/F kit	USB keyboard connection; Bluetooth
IC-420 Fiery controller	Professional colour print controller
VI-516 Interface kit for IC-420	Fiery controller interface card
UK-115 Interface board for IC-420	Fiery controller interface board (required for bizhub C450i only)
ID card reader	Various ID card technologies
MK-735 Mount kit	Installation kit for ID card reader
OTHERS	
WT-506 Working table	Authentication device placement
KP-102 10-Key pad	For use instead of touchscreen
SC-509 Security kit	Copy guard function (2 kits required for Dualscan ADF)
EM-908 Replacement SSD	1 TB SSD to increase storage space
KH-102 Keyboard holder	To place USB keyboard
CU-102 Air cleaning unit	Improving indoor air quality by reduced emission
DK-705 Low Caster Desk	Not compatible with Paper Tray / Finisher options

MEDIA INPUT	
PC-216 2x Universal tray	2x 500 sheets, A5-A3, 52-256 g/m <sup>2</sup>
PC-416 Large capacity tray	2,500 sheets, A4, 52–256 g/m <sup>2</sup>
PC-417 Large capacity tray	1,500 + 1,000 sheets, A5-A4, 52-256 g/m <sup>2</sup>
LU-302 Large capacity tray	3,000 sheets, A4, 52–256 g/m <sup>2</sup>
LU-207 Large capacity tray	2,500 sheets, A4–SRA3, 52–256 g/m <sup>2</sup>
MK-730 Banner tray	Multipage banner feeding
DK-516 Copier desk	Provides storage space for print media and other materials
MEDIA OUTPUT	
OT-513 Output tray	Output tray used instead of finisher
JS-508 Job separator	Separation of fax output etc. (bizhub C450i/C550i only)
FS-533 Inner finisher	50-sheet stapling, 500 sheets max. output (for bizhub C450i/C550i only)
MK-607 Attachment kit	For FS-533 installation (bizhub C450i/C550i only)
PK-519 Punch Kit for FS-533	2/4 hole punching, autoswitching (for bizhub C450i/C550i only)
FS-539 Staple finisher	50 sheets stapling; 3,200 sheets max. output
FS-539SD Booklet finisher	50 sheets stapling; 20 sheets booklet finisher; 2,200 sheets max. output
FS-540 Staple finisher	100 sheets stapling; 3,200 sheets max. output
FS-540SD Booklet finisher	100 sheets stapling; 20 sheets booklet finisher;
	2,700 sheets max. output
PK-524 Punch kit for FS-539/SD	2/4 hole punching; autoswitching
PK-526 Punch kit for FS-540/SD	2/4 hole punching; autoswitching
RU-513 Relay unit	For FS-539/SD or FS-540/SD installation
JS-602 Job separator for FS-540/SD	Separation of fax output; etc.
PI-507 Post inserter for FS-540/SD	Cover insertion; post finishing
ZU-609 Z-fold unit for FS-540/SD	Z-fold for A3 prints

#### **OPTIONS DESCRIPTIONS** (bizhub C360i/C300i/C250i)

PDF/A(1b), PDF encryption, digital signature
Enables easy to follow audio guidance for visually impaired users Requires KP-102
Searchable PDF and PPTX
Supports native barcode printing
Supports native Unicode printing
Supports native OCR A and B font printing
Generates various file formats incl. DOCX, XLSX and PDF/A
Print data compression for reduced network impact
Trusted Platform Module for protection of data encryption and decryption
Bitdefender® antivirus provides real time scanning of all incoming and outgoing data
Fax over IP networks (T.38), requires fax kit
rax over ir fletworks (1.30), fequiles fax kit
rax over ir Hetworks (1.50), fequiles fax kit
Super G3 fax, digital fax functionality
Super G3 fax, digital fax functionality
Super G3 fax, digital fax functionality Wireless LAN and wireless LAN Access Point Mode
Super G3 fax, digital fax functionality Wireless LAN and wireless LAN Access Point Mode USB keyboard connection
Super G3 fax, digital fax functionality Wireless LAN and wireless LAN Access Point Mode USB keyboard connection USB keyboard connection; Bluetooth
Super G3 fax, digital fax functionality Wireless LAN and wireless LAN Access Point Mode USB keyboard connection USB keyboard connection; Bluetooth Professional colour print controller
Super G3 fax, digital fax functionality Wireless LAN and wireless LAN Access Point Mode USB keyboard connection USB keyboard connection; Bluetooth Professional colour print controller Fiery controller interface card

OTHERS	
DF-632 Document feeder	Reversing automatic document feeder, capacity 100 originals
DF-714 Document feeder	Dualscan automatic document feeder, capacity 100 originals
WT-506 Working table	Authentication device placement
KP-102 10-Key pad	For use instead of touchscreen
SC-509 Security kit	Copy guard function (2 kits required for Dualscan ADF)
EM-908 Replacement SSD	1 TB SSD to increase storage space
IM-102 Intelligent Media Sensor	Automatic detection of media type
KH-102 Keyboard holder	To place USB keyboard
CU-102 Air cleaning unit	Improving indoor air quality by reduced emission
DK-705 Low Caster unit	Not compatible with Paper Tray or external Finishing options
MEDIA INPUT	
PC-216 2x Universal tray	2x 500 sheets, A5-A3, 52-256 g/m <sup>2</sup>
PC-416 Large capacity tray	2,500 sheets, A4, 52–256 g/m <sup>2</sup>
PC-417 Large capacity tray	1,500 + 1,000 sheets, A5–A4, 52–256 g/m <sup>2</sup>
LU-302 Large capacity tray	3,000 sheets, A4, 52–256 g/m <sup>2</sup>
MK-730 Banner tray	Multipage banner feeding
DK-516 Copier desk	Provides storage space for print media and other materials
MEDIA OUTPUT	
FS-539 Staple finisher FS-533 Inner finisher PK-519 Punch kit for FS-533	50 sheets stapling; 3,200 sheets max. output 50 sheets stapling; 500 sheets max. output 2/4 hole punching, autoswitching
FS-539SD Booklet finisher	50 sheets stapling; 20 sheets booklet finisher; 2,200 sheets max. output
PK-524 Punch kit for FS-539/SD	2/4 hole punching; autoswitching
RU-513 Relay unit	For FS-539/SD installation
JS-506 Job separator	Separation of fax output; etc.

#### TECHNICAL SPECIFICATIONS (bizhub C650i/C550i/C450i)

SYSTEM SPECIFICATIONS	C650i	C550i	C450i
System speed A4 (mono/colour)	Up to 65/65 ppm	Up to 55/55 ppm	Up to 45/45 ppm
System speed A3 (mono/colour)	Up to 32/32 ppm	Up to 27/27 ppm	Up to 22/22 ppm
Autoduplex speed A4 (mono/colour)	Up to 65/65 ppm	Up to 55/55 ppm	Up to 45/45 ppm
1st page out time A4 (mono/colour)	2.8/3.8 sec.	3.3/4.3 sec.	3.8/5.0 sec.
Warm-up time (mono/colour)	Approx. 15/17 sec. <sup>1</sup>	14/16 sec.1	15/17 sec. <sup>1</sup>
Imaging technology	Laser		
Toner technology	Simitri® HD polymerised toner		
Panel size/resolution	10.1" / 1024 x 600		
System memory	8GB (standard/max)		
System storage	256 GB SSD (standard) / 1 TB SS	D (optional)	
Interface	10/100/1,000-Base-T Ethernet;	USB 2.0;	
	Wi-Fi 802.11 b/g/n/ac (optiona	1)	
Network protocols	TCP/IP (IPv4 / IPv6); SMB; LPD;	PP; SNMP; HTTP(S); Bonjour	
Automatic document feeder	Up to 300 originals; A6-A3; 35-	210 g/m²; Dualscan ADF	
ADF double feed detection	Standard		
Printable paper size	A6-SRA3; customized paper sizes	; banner paper max. 1,200 x 297 mm	
Printable paper weight	52-300 g/m <sup>2</sup>		
Paper input capacity	1,150 sheets / 6,650 sheets (sta	ndard/max)	
Paper tray input (standard)	1x 500; A6–A3; custom sizes; 52	-256 g/m <sup>2</sup>	
	1x 500; A5-SRA3; custom sizes;	52-256 g/m <sup>2</sup>	
Paper tray input (optional)	2x 500 sheets; A5–A3; 52–256 g/m <sup>2</sup>		
	1x 2,500 sheets; A4; 52-256 g/r	n <sup>2</sup>	
	1x 1,500 + 1x 1,000 sheets; A5-	A4; 52–256 g/m <sup>2</sup>	
Large capacity tray (optional)	1x 3,000; A4; 52–256 g/m <sup>2</sup>		
	1x 2,500; A4-SRA3; custom size	s; 52–256 g/m <sup>2</sup>	
Manual bypass	150 sheets; A6-SRA3; custom si	zes; banner; 60-300 g/m <sup>2</sup>	
Finishing modes (optional)	Offset; Group; Sort; Staple; Stap	le (offline); Punch; Half-fold; Letter-	fold; Booklet; Post insertion; Z-fold
Automatic duplexing	A6-SRA3; 52-256 g/m <sup>2</sup>		
Output capacity	Up to 250 sheets / up to 3,300 s	heets (standard/max)	
Stapling	Max. 100 sheets or 98 sheets + 2	) acusar abaata (un ta 200 a /m²)	
	Max. 100 streets of 50 streets 1	cover sneets (up to 500 g/m )	
Stapling output capacity	Max. 200 sets	cover sneets (up to 500 g/m )	
Stapling output capacity Letter fold		cover sneets (up to 500 g/m )	
	Max. 200 sets		
Letter fold	Max. 200 sets Max. 3 sheets	t tray)	
Letter fold Letter fold capacity	Max. 200 sets  Max. 3 sheets  Max. 50 sets; unlimited (withou	t tray) cover sheet (up to 300 g/m²)	
Letter fold Letter fold capacity Booklet	Max. 200 sets  Max. 3 sheets  Max. 50 sets; unlimited (withou  Max. 20 sheets or 19 sheets + 1	t tray) cover sheet (up to 300 g/m²)	Rec. 40,000 pages;
Letter fold Letter fold capacity Booklet Booklet output capacity	Max. 200 sets  Max. 3 sheets  Max. 50 sets; unlimited (withou  Max. 20 sheets or 19 sheets + 1  Max. 35 booklets; unlimited (wi	t tray) cover sheet (up to 300 g/m²) thout tray)	Rec. 40,000 pages; Max <sup>2</sup> 200,000 pages
Letter fold Letter fold capacity Booklet Booklet output capacity	Max. 200 sets  Max. 3 sheets  Max. 50 sets; unlimited (withou  Max. 20 sheets or 19 sheets + 1  Max. 35 booklets; unlimited (wi  Rec. 53,000 pages;	t tray) cover sheet (up to 300 g/m²) thout tray) Rec. 50,000 pages;	
Letter fold Letter fold capacity Booklet Booklet output capacity Duty cycle (monthly)	Max. 200 sets  Max. 3 sheets  Max. 50 sets; unlimited (withou  Max. 20 sheets or 19 sheets + 1  Max. 35 booklets; unlimited (wi  Rec. 53,000 pages;  Max <sup>2</sup> 250,000 pages	t tray) cover sheet (up to 300 g/m²) thout tray) Rec. 50,000 pages;	
Letter fold Letter fold capacity Booklet Booklet output capacity Duty cycle (monthly)	Max. 200 sets Max. 3 sheets Max. 50 sets; unlimited (withou Max. 20 sheets or 19 sheets + 1 Max. 35 booklets; unlimited (wi Rec. 53,000 pages; Max² 250,000 pages Black up to 28,000 pages	t tray)  cover sheet (up to 300 g/m²)  thout tray)  Rec. 50,000 pages;  Max² 200,000 pages	
Letter fold Letter fold capacity Booklet Booklet output capacity Duty cycle (monthly) Toner lifetime	Max. 200 sets  Max. 3 sheets  Max. 50 sets; unlimited (withou  Max. 20 sheets or 19 sheets + 1  Max. 35 booklets; unlimited (wi  Rec. 53,000 pages;  Max² 250,000 pages  Black up to 28,000 pages  CMY up to 28,000 pages	t tray)  cover sheet (up to 300 g/m²)  thout tray)  Rec. 50,000 pages;  Max² 200,000 pages	
Letter fold Letter fold capacity Booklet Booklet output capacity Duty cycle (monthly) Toner lifetime	Max. 200 sets  Max. 3 sheets  Max. 50 sets; unlimited (withou max. 20 sheets or 19 sheets + 1  Max. 35 booklets; unlimited (withou max. 25,000 pages; max. 250,000 pages  Black up to 28,000 pages  Black up to 28,000 pages  Black up to 240,000/1,000,000	t tray)  cover sheet (up to 300 g/m²)  thout tray)  Rec. 50,000 pages;  Max² 200,000 pages  pages (drum/developer)  lages (drum/developer)	
Letter fold Letter fold capacity Booklet Booklet output capacity Duty cycle (monthly)  Toner lifetime  Imaging unit lifetime	Max. 200 sets  Max. 3 sheets  Max. 50 sets; unlimited (withou Max. 20 sheets or 19 sheets + 1  Max. 35 booklets; unlimited (wi Rec. 53,000 pages; Max² 250,000 pages  Black up to 28,000 pages  Black up to 240,000/1,000,000 CMY up to 165,000/1,000,000 pogos	t tray)  cover sheet (up to 300 g/m²)  thout tray)  Rec. 50,000 pages;  Max² 200,000 pages  pages (drum/developer)  tages (drum/developer)	

#### TECHNICAL SPECIFICATIONS (bizhub C650i/C550i/C450i)

PRINT	FR SP	<b>FCIFI</b>	CATI	ONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Operating systems	Windows 7 (32/64); Windows 8.1 (32/64); Windows 10 (32/64);
	Windows Server 2008 (32/64); Windows Server 2008 R2;
	Windows Server 2012; Windows Server 2012 R2;
	Windows Server 2016; Windows Server 2019;
	Macintosh OS X 10.10 or later; Unix; Linux; Citrix
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin
Mobile printing	AirPrint (iOS); Mopria (Android);
	Konica Minolta Print Service (Android);
	Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile)
	optional: Google Cloud Print; WiFi Direct

#### PRINTER SPECIFICATIONS (OPTIONAL)

Print controller	Embedded Fiery IC-420
Controller CPU	AMD GX-424CC @ 2.4 GHz
Memory/HDD	4GB / 500 GB
Page description language	Adobe PostScript 3 (CPSI 3020); PCL 6; PCL 5c
Operating systems	Windows 7 (32/64); Windows 8.1 (32/64); Windows 10 (32/64);
	Windows Server 2008 (32/64); Windows Server 2008 R2;
	Windows Server 2012; Windows Server 2012 R2;
	Windows Server 2016; Windows Server 2019;
	Macintosh OS X 10.10 or later; Linux

#### SCANNER SPECIFICATIONS

SOME THE PROPERTY OF THE PROPE		
Scan speed	Up to 140/140 ipm in simplex (mono/colour)	
	Up to 280/280 ipm in duplex (mono/colour)	
Scan resolution	Up to 600 x 600 dpi	
Scan modes	Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home);	
	Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV;	
	Scan-to-DPWS; Scan-to-URL; TWAIN scan	
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS;	
	Compact XPS; PPTX	
	optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/	
	PPTX/XLSX	
Scan destinations	2,000 destinations + 100 groups; LDAP support	

#### COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multicopy	1-9,999
Original format	Max. A3
Magnification	25-400% in 0.1% steps: Auto-zooming

#### **FAX SPECIFICATIONS (OPTIONAL)**

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi
Fax compression	MH; MR; MMR; JBIG
Fax modem	Up to 33.6 Kbps
Fax destinations	2,000 single + 100 groups

#### **USER BOX SPECIFICATIONS**

Storable documents	Up to 3,000 documents or 10,000 pages	
Type of user boxes	Public; Personal (with password or authentication);	
	Group (with authentication)	
Type of system boxes	Secure print; Encrypted PDF print; Fax receipt; Fax polling	

#### SYSTEM FEATURES

SISILWIILAIUKLS		
Security Functions (standard)	ISO 15408 HCD-PP Common Criteria (in evalutation);	
	IP filtering and port blocking; SSL3 and TLS1.0/1.1/1.2 network	
	communication; IPsec support; IEEE 802.1x support;	
	User authentication; Authentication log; Secure print; Kerberos;	
	Storage overwrite; Storage data encryption (AES 256);	
	Confidential fax; Print user data encryption	
Security Functions (optional)	Antivirus realtime scanning (Bitdefender®);	
	Copy protection (Copy Guard, Password Copy)	
Accounting (standard)	Up to 1,000 user accounts; Active Directory support (user name +	
	password + e-mail + smb folder); User function access definition;	
	Authentication by mobile device (Android)	
Accounting Functions (optional)	ID card authentication (ID card reader);	
	Authentication by mobile device (iOS)	
Software	Net Care Device Manager; Data Administrator; Box Operator;	
	Web Connection; Print Status Notifier; Driver Packaging Utility;	
	Log Management Utility	

 $<sup>^{\</sup>rm 1}\,\mbox{Warm-up}$  time may vary depending on the operating environment and usage

- All specifications refer to A4-size paper of 80 g/m² quality.
   The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
   The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including a consumable will be according to the protocol of the protocol o including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.

  Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

 $<sup>^{2}</sup>$  If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

## TECHNICAL SPECIFICATIONS (bizhub C360i/C300i/C250i)

SYSTEM SPECIFICATIONS	C360i	C300i	C250i
Panel size/resolution	10.1" / 1024 x 600		
System memory (standard/max)	8 GB		
System storage	256 GB Solid State Drive (standard)/1TI	B SSD (optional)	
Interface	10/100/1,000-Base-T Ethernet; USB 2.0	);	
	Wi-Fi 802.11 b/g/n (optional)		
Network protocols	TCP/IP (IPv4/IPv6); SMB; LPD; IPP; SNM	IP;	
	HTTP(S); AppleTalk; Bonjour		
Automatic document feeder	Up to 100 originals; A6-A3; 35-163 g/n	n²;	
	RADF or Dualscan ADF available		
Paper input capacity (standard/max)	1,150 sheets / 6,650 sheets		
Paper tray input (standard)	1x 500 sheets; A6–A3; custom sizes; 52-	-256 g/m²	
	1x 500 sheets; A5–SRA3; custom sizes;	52–256 g/m²	
Paper tray input (optional)	2x 500 sheets; A5–A3; 52–256 g/m <sup>2</sup>		
	1x 2,500 sheets; A4; custom sizes; 52-2	56 g/m²	
Large capacity tray (optional)	1x 3,000 sheets; A4; custom sizes; 52-2	56 g/m²	
Manual bypass	150 sheets; A6–SRA3; Custom sizes; Bar	nner; 60–300 g/m²	
Automatic duplexing	A5-SRA3; 52-256 g/m <sup>2</sup>		
Finishing modes (optional)	Offset; Group; Sort; Staple; Punch; Half-fold; Letter-fold; Booklet		
Output capacity (standard)	Max. 250 sheets		
Output Capacity (optional)	Max. 3,300 sheets		
Stapling	Max. 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m²)		
Letter fold capacity	Max. 30 sheets; unlimited (without tray)		
Booklet	Max. 20 sheets or 19 sheets + 1 cover sheet (up to 209 g/m²)		
Booklet output capacity	Max. 100 booklets; unlimited (without	tray)	
Copy/print volume (monthly)	Rec. 33,000 pages	Rec. 25,000 pages	Rec. 16,000 pages
	Max. <sup>1</sup> 175,000 pages	Max. <sup>1</sup> 150,000 pages	Max. <sup>1</sup> 130,000 pages
Toner lifetime	Black up to 28,000 pages		
	CMY up to 28,000 pages		
Imaging unit lifetime	Black up to 225,000/1,000,000 pages	Black up to 225,000/1,000,000 pages	Black up to 170,000/1,000,000 pages
	(drum/developer)	(drum/developer)	(drum/developer)
	CMY up to 105,000/1,000,000 pages	CMY up to 90,000/1,000,000 pages	CMY up to 65,000/1,000,000 pages
	(drum/developer)	(drum/developer)	(drum/developer)
Power consumption	220-240 V / 50/60 Hz; Less than 1.58 kW		
System dimension (W x D x H)	615 x 688 x 918 mm (with DF-714)		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			

#### TECHNICAL SPECIFICATIONS (bizhub C360i/C300i/C250i)

PRINTER SPECIFICATIONS	C360i	C300i	C250i
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi		
Print Speed A4 (mono/colour)	36/36 ppm	30/30 ppm	25/25 ppm
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS		
Operating System Windows 7 (32/64); Windows 8/8.		4); Windows 8/8.1 (32	2/64); Windows 10 (32/64);
	Windows Server 2	2008 (32/64); Window	s Server 2008 R2;
	Windows Server 2	2012; Windows Server	· 2012 R2;
	Windows Server 2016; Windows Server 2019;		
	Macintosh OS X 10.10 or later; Unix; Linux; Citrix		
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin		
Mobile printing	AirPrint (iOS); Mopria (Android);		
	Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile);		
	Mobile Authentic	ation and Pairing (iOS	S/Android)
	Optional: Google	Cloud Print; WiFi Dire	ect

#### PRINTER SPECIFICATIONS (OPTIONAL)

Print controller	Embedded Fiery IC-420	
Controller CPU	AMD GX-424CC @ 2.4 GHz	
Memory/HDD	2,048 MB / 500 GB	
Page description language	Adobe PostScript 3 (CPSI 3020); PCL 6; PCL 5c	

SCANNER SPECIFICATIONS	
Scan speed (mono/colour)	Up to 100/100 ipm in simplex
	Up to 200/200 ipm in duplex
Scan modes	Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home);
	Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV;
	Scan-to-URL; TWAIN scan
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF;
	XPS; Compact XPS; PPTX
	Optional: Searchable PDF; PDF/A 1a and 1b;
	Searchable DOCX/PPTX/XLSX
Scan destinations	2,100 (single + group); LDAP support

COPIER SPECIFICATIONS			
Imaging technology	Laser		
Toner technology	Simitri® HD polymerised toner		
Copy/print speed A4 (mono/colour)	Up to 36/36 ppm		
Copy/print speed A3 (mono/colour)	Up to 18/18 ppm		
Autoduplex Speed A4 (mono/colour)	Up to 36/36 ppm		
1st copy out time A4 (mono/colour)	4.6/6.1 sec.	5.0/6.7 sec.	5.2/6.9 sec.
Warm-up time (mono/colour)	Approx. 12/13 sec. <sup>2</sup>	Approx. 11/13 sec. <sup>2</sup>	Approx. 11/13 sec. <sup>2</sup>
Copy resolution	600 x 600 dpi		_
Gradation	256 gradations		
Multicopy	1-9,999		
Original format	A6-A3; Custom sizes		_
Magnification	25–400% in 0.1% steps; Auto-zooming		

#### FAX SPECIFICATIONS (OPTIONAL)

Fax standard	Super G3 (optional)	
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax	
Fax resolution	Up to 600 x 600 dpi	
Fax compression	MH; MR; MMR; JBIG	
Fax modem	Up to 33.6 Kbps	
Fax destinations	2,100 (single + group)	

#### **USER BOX SPECIFICATIONS**

USER DOX SPECIFICATIONS		
Storable documents	Up to 3,000 documents or 10,000 pages	
Type of user boxes	Public; Personal (with password or authentication);	
	Group (with authentication)	
Type of system boxes	Secure print; Encrypted PDF print; Fax receipt; Fax polling	
SYSTEM FEATURES		
Security Functions (standard)	ISO 15408 HCD-PP Common Criteria; IP filtering and port	
	blocking; SSL2; SSL3 and TLS1.0/1.1/1.2 network	
	communication; IPsec support; IEEE 802.1x support;	
	User authentication; Authentication log; Secure print; Kerberos;	
	SSD self-encrypting (AES 256); Memory data auto deletion;	
	Confidential fax receipt; Print user data encryption	
Security Functions (optional)	Antivirus realtime scanning (Bitdefender®);	
	Copy protection (Copy Guard, Password Copy)	
Accounting (standard)	Up to 1,000 user accounts; Active Directory support (user name +	
	password + e-mail + smb folder); User function access definition	
Accounting Functions (optional)	ID card authentication (ID card reader);	
	Authentication by mobile device (Android/iOS)	
Software	PageScope Net Care Device Manager; PageScope Data Admini-	
	strator; PageScope Box Operator; PageScope Web Connection;	
	Print Status Notifier; Driver Packaging Utility; Log Management	
	Utility	

 $<sup>^{\</sup>mathrm{1}}$  If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed <sup>2</sup> Warm-up time may vary depending on the operating environment and usage

- All specifications refer to A4-size paper of 80 g/m² quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular
  page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables
  including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.



#### **NEW SOUTH WALES**

Konica Minolta House 4 Drake Avenue Macquarie Park NSW 2113 (02) 8026 2222

**ACT** 

1/55 Wentworth Avenue Kingston ACT 2604 (02) 6206 6500

#### **QUEENSLAND**

Level 9, 100 Skyring Terrace Newstead QLD 4006 (07) 3872 9100

#### **SOUTH AUSTRALIA**

L184 Greenhill Road Wayville SA 5034 (08) 8231 2911

#### **VICTORIA**

Level 5, 441 St Kilda Road Melbourne VIC 3004 (03) 8699 0777

#### **WESTERN AUSTRALIA**

66 Kings Park Road West Perth WA 6005 08 6380 3700

Konica Minolta Business Solutions Australia Pty Ltd

Free Call 1800 789 389 konicaminolta.com.au

































